



## CERTIFICATE

No. U8V 17 04 21433 520

Holder of Certificate: Vicor Corporation

25 Frontage Road Andover MA 01810

USA

Production Facility(ies):

67768

**Certification Mark:** 



Product: Converter

DC to DC Converter

Model(s): PI3101-00-HVIZ / DCZVS

(see certificate attachment for model nomenclature

and ratings.)

Parameters: Rated Input Voltage:

48 V DC

Rated Output Voltage:

3.3 V DC

Rated Output Power:

60 W Max

**Tested** 

CAN/CSA C22.2 No.60950-1:2007/A2:2014

according to:

UL 60950-1:2007/A2:2014 EN 60950-1:2006/A2:2013

The product was voluntarily tested according to the relevant safety requirements noted above. It can be marked with the certification mark above. The mark must not be altered in any way. This product certification system operated by TÜV SÜD America Inc. most closely resembles system 3 as defined in ISO/IEC 17067. Certification is based on the TÜV SÜD "Testing and Certification Regulations". TÜV SÜD America Inc. is an OSHA recognized NRTL and a Standards Council of Canada accredited certification body.

Test report no.:

72126029-000

Date, 2017-04-18

Page 1 of 3







UCB\_F\_12.02 2012-02

## Attachment to Certificate Number U8V 17 04 21433 520

Vicor Corporation 25 Frontage Road Andover, MA 01810 USA



Picor Cool Power DC-DC Converter Model Number: Pl31aa-bb-ccde

Sample model number: PI3101- 00-HVIZ

PI = constant	Picor	

aa =	Defines Electrical Ratings		
	Vin Nom (Range) Vdc	Vout (Vdc)	Pout (W)
01	48 (36-75)	3.3	60
04	48 (36-75)	5.0	60
05	48 (36-75)	12.0	60
06	28 (16-50)	12.0	60
07	28 (16-50)	24.0	60
80	28 (16-50)	3.3	60
09	28 (16-50)	5.0	60
10	48 (41-57)	18.0	60
11	28 (16-50)	15.0	60
12	28 (16-50)	28.0	60
	are reserved for isolating con are reserved for non-isolating		

bb =	Model Variation	
00	Base model, no variation	5-11
01	Narrow input voltage range	70.50
02 - 99	Base model variation, non-safety related	

cc =	Package Size	
HV	Half VIC	

d =	Product Grade	
С	Commercial (0 to +100°C)	
1	Industrial (-40 to +100°C)	
M	Mil-Cot (-55 to +100°C)	

e =	Environmental Designation (non-safety related) May be any alphanumeric character, non-inclusive list shown below
Z	RoHS
G	Green

Test Report No: 72126029-000

Date: 2017-04-18

Page 2 of 3



## Attachment to Certificate Number U8V 17 04 21433 520

Vicor Corporation 25 Frontage Road Andover, MA 01810 USA



Conditions of Acceptability - When installed in the end use equipment, the following are among considerations to be made:

- 1. Input Voltage: Both a nominal input voltage and an input voltage range are specified. Operation over the entire range was evaluated.
- 2. The input to the DC-DC converter is intended to be supplied from a TNV-2 or other non-hazardous secondary circuit.
- Max Temperature: The maximum case temperature is 100°C. 3.
- 4. Over temperature: If the case temperature exceeds 100°C the Chip may be damaged.
- 5. Fusing Requirements: The DC-DC converters were evaluated with a fast acting Littelfuse Nano² fuse rated 10A. A Littelfuse Nano² fuse rated less than 10A may be used in the end application.
- 6. The output is considered to be SELV.
- 7. The isolated DC-DC converters provide 2250 Vdc of isolation from input to output and from the input/output to the case.
- 8. The output is separated from the input by Basic insulation.

Test Report No: 72126029-000

Date: 2017-04-18

Page 3 of 3

